

Flexible Gooseneck Tubing

Your source for flexible gooseneck tubes! We offer a wide variety of flexible gooseneck tube and rigid arms in stock and ready to ship. Splice them together for even more versatility. Rigid arms provide you with extra reach while gooseneck arms offer flexibility. We stock many standard flexible gooseneck models and can produce custom designs to your specifications.



In-Stock Flexible Gooseneck Tube Designs

- 9", chrome-plated
- 9", black powdercoat paint
- 13", black powdercoat paint
- 18" Very Light-Duty, chrome-plated
- 18" Light-Duty, chrome-plated
- 18" Heavy-Duty, chrome-plated
- 18" Heavy-Duty, black powdercoat paint
- 18" Super-Duty, chrome-plated
- 24" Heavy-Duty, chrome-plated

Each of our flexible gooseneck tube designs is a compromise between stiffness (ability to support weight) and flexibility. Flexible gooseneck tubes are strongest in the vertical orientation and weakest in the horizontal orientation. Please consult the table below for the maximum weight each flexible gooseneck tube can support in the weakest orientation (horizontal) without bending. Keep in mind that the gooseneck tubing can support more weight in any orientation other than completely horizontal.

All flexible gooseneck and rigid arms are hollow, see table below for inside diameters.

SPECIFICATIONS FOR IN-STOCK GOOSENECKS	Gooseneck Weight (ounces)	Outside Diameter (mm)	Inside Diameter (inches)	Minimum Bend Radius (inches)	Horizontal Load Capacity (pounds)
9" Gooseneck	6.5	13	3/16	2-1/2	2

13" Gooseneck	8.9	13	3/16	2-1/2	1
18" Very Light-Duty Gooseneck	5.5	8	9/64	1-1/2	1/8
18" Light-Duty Gooseneck	10.9	13	3/16	2-1/2	1/2
18" Heavy-Duty Gooseneck	14.4	15	7/32	3	2
18" Super-Duty Gooseneck	18.6	18	5/16	3	2-1/2
24" Heavy-Duty Gooseneck	25.4	18	5/16	3	1-3/4
12" Rigid Arm	5.8	18	3/8	N/A	5

- 18" gooseneck is offered in very light, light, heavy and super-duty strengths
- 3/8"-24 female threaded adapters on each end
- 4mm set screw on both end adapters to hold 3/8" screw firmly in place
- 2mm Allen wrench for 4mm set screw
- Chrome-plated finish or black powdercoat paint finish
- One Year Free Replacement Warranty

Custom Flexible Gooseneck Tube Designs



??